

# DeepClean - Sloped Top - Standard Grilles



Radiator Type

SF/Type 11

HF/Type 12

DF/Type 22

TF/Type 33



Casing Depths

150mm

165mm

200mm

260mm

Casing Height (mm)	Casing Length (mm)	SF/Type 11			HF/Type 12			DF/Type 22			TF/Type 33			
		Output Watts ( $\Delta T50$ )	Output Watts ( $\Delta T24$ )	Product Code	Output Watts ( $\Delta T50$ )	Output Watts ( $\Delta T24$ )	Product Code	Output Watts ( $\Delta T50$ )	Output Watts ( $\Delta T24$ )	Product Code	Output Watts ( $\Delta T50$ )	Output Watts ( $\Delta T24$ )	Product Code	
600	600	192	74	DS6006SF	292	112	DS6006HF	375	144	DS6006DF				
	700	241	92	DS6007SF	365	140	DS6007HF	468	179	DS6007DF	647	248	DS6007TF	
	800	289	111	DS6008SF	438	168	DS6008HF	562	215	DS6008DF	776	297	DS6008TF	
	900	337	129	DS6009SF	511	196	DS6009HF	655	251	DS6009DF	905	347	DS6009TF	
	1000	385	148	DS6010SF	584	224	DS6010HF	749	287	DS6010DF				
	1100	433	166	DS6011SF	657	252	DS6011HF	843	323	DS6011DF	1164	446	DS6011TF	
	1200	481	184	DS6012SF	730	280	DS6012HF	936	359	DS6012DF	1293	495	DS6012TF	
	1300	530	203	DS6013SF	803	307	DS6013HF	1027	393	DS6013DF	1422	545	DS6013TF	
	1400	578	221	DS6014SF	876	335	DS6014HF	1123	430	DS6014DF	1552	594	DS6014TF	
	1500	626	240	DS6015SF										
	1600	674	258	DS6016SF	1022	391	DS6016HF	1311	502	DS6016DF	1810	693	DS6016TF	
	1800	771	295	DS6018SF	1168	447	DS6018HF	1498	574	DS6018DF	2069	793	DS6018TF	
	2000	867	332	DS6020SF	1314	503	DS6020HF	1686	646	DS6020DF	2327	891	DS6020TF	
	2200	963	369	DS6022SF				1873	717	DS6022DF	2586	991	DS6022TF	
	2400	1059	406	DS6024SF				2059	789	DS6024DF				
2600	1155	442	DS6026SF				2247	861	DS6026DF					
2900	1300	498	DS6029SF				2528	968	DS6029DF					
3200	1444	553	DS6032SF				2809	1076	DS6032DF					

Casing Height (mm)	Casing Length (mm)	SF/Type 11			HF/Type 12			DF/Type 22			TF/Type 33		
		Output Watts ( $\Delta T50$ )	Output Watts ( $\Delta T24$ )	Product Code	Output Watts ( $\Delta T50$ )	Output Watts ( $\Delta T24$ )	Product Code	Output Watts ( $\Delta T50$ )	Output Watts ( $\Delta T24$ )	Product Code	Output Watts ( $\Delta T50$ )	Output Watts ( $\Delta T24$ )	Product Code
700	600	248	95	DS7006SF	372	142	DS7006HF	480	184	DS7006DF			
	700	311	119	DS7007SF	465	178	DS7007HF	600	230	DS7007DF	829	318	DS7007TF
	800	372	142	DS7008SF	558	214	DS7008HF	719	275	DS7008DF	995	381	DS7008TF
	900	434	166	DS7009SF	651	250	DS7009HF	839	321	DS7009DF	1161	444	DS7009TF
	1000	497	190	DS7010SF	744	285	DS7010HF	959	367	DS7010DF	1326	508	DS7010TF
	1100	558	214	DS7011SF	837	321	DS7011HF	1079	413	DS7011DF	1493	572	DS7011TF
	1200	620	238	DS7012SF	930	356	DS7012HF	1199	459	DS7012DF	1658	635	DS7012TF
	1300	683	261	DS7013SF	1024	392	DS7013HF	1319	505	DS7013DF	1824	698	DS7013TF
	1400	744	285	DS7014SF	1116	427	DS7014HF	1438	551	DS7014DF	1990	762	DS7014TF
	1500	806	309	DS7015SF	1210	463	DS7015HF	1558	597	DS7015DF			
	1600	869	333	DS7016SF	1302	499	DS7016HF	1679	643	DS7016DF			
	1700	931	357	DS7017SF	1396	534	DS7017HF	1799	689	DS7017DF			
	1800	992	380	DS7018SF	1488	570	DS7018HF	1918	735	DS7018DF	2653	1016	DS7018TF
	2000	1117	428	DS7020SF	1674	641	DS7020HF	2158	827	DS7020DF	2984	1143	DS7020TF
	2200	1241	475	DS7022SF	1860	712	DS7022HF	2398	918	DS7022DF	3316	1270	DS7022TF
2400	1364	523	DS7024SF	2046	784	DS7024HF	2637	1010	DS7024DF	3648	1397	DS7024TF	
2600	1489	570	DS7026SF	2232	855	DS7026HF	2877	1102	DS7026DF				
2900	1675	642	DS7029SF				3237	1240	DS7029DF				
3200	1861	713	DS7032SF				3596	1377	DS7032DF				

# DeepClean - Sloped Top - Standard Grilles



Radiator Type

SF/Type 11

HF/Type 12

DF/Type 22

TF/Type 33



Casing Depths

150mm

165mm

200mm

260mm

Casing Height (mm)	Casing Length (mm)	SF/Type 11			HF/Type 12			DF/Type 22			TF/Type 33		
		Output Watts ( $\Delta T50$ )	Output Watts ( $\Delta T24$ )	Product Code	Output Watts ( $\Delta T50$ )	Output Watts ( $\Delta T24$ )	Product Code	Output Watts ( $\Delta T50$ )	Output Watts ( $\Delta T24$ )	Product Code	Output Watts ( $\Delta T50$ )	Output Watts ( $\Delta T24$ )	Product Code
800	500	223	86	DS8005SF				433	166	DS8005DF			
	600	298	114	DS8006SF	448	171	DS8006HF	577	221	DS8006DF			
	700	373	143	DS8007SF	560	214	DS8007HF	721	276	DS8007DF	997	382	DS8007TF
	800	448	171	DS8008SF	671	257	DS8008HF	864	331	DS8008DF	1195	458	DS8008TF
	900	522	200	DS8009SF	783	300	DS8009HF	1008	386	DS8009DF	1395	534	DS8009TF
	1000	596	228	DS8010SF	895	343	DS8010HF	1153	441	DS8010DF	1594	610	DS8010TF
	1100	671	257	DS8011SF	1007	386	DS8011HF	1297	497	DS8011DF	1793	687	DS8011TF
	1200	746	286	DS8012SF	1119	428	DS8012HF	1441	552	DS8012DF	1993	763	DS8012TF
	1300	821	314	DS8013SF	1231	471	DS8013HF	1585	607	DS8013DF	2192	840	DS8013TF
	1400	895	343	DS8014SF	1342	514	DS8014HF	1729	662	DS8014DF	2391	916	DS8014TF
	1500	969	371	DS8015SF	1454	557	DS8015HF	1873	718	DS8015DF	2591	992	DS8015TF
	1600	1044	400	DS8016SF	1566	600	DS8016HF	2018	773	DS8016DF	2790	1069	DS8016TF
	1700	1119	428	DS8017SF	1679	643	DS8017HF	2162	828	DS8017DF			
	1800	1193	457	DS8018SF	1790	685	DS8018HF	2305	883	DS8018DF			
	2000	1342	514	DS8020SF	2014	771	DS8020HF	2593	993	DS8020DF	3587	1374	DS8020TF
	2200	1492	571	DS8022SF	2237	857	DS8022HF	2882	1104	DS8022DF	3985	1526	DS8022TF
2400	1641	629	DS8024SF	2461	943	DS8024HF	3170	1214	DS8024DF	4384	1679	DS8024TF	
2600	1790	685	DS8026SF	2685	1028	DS8026HF	3459	1325	DS8026DF				
2900	2014	771	DS8029SF				3890	1490	DS8029DF				
3200	2237	857	DS8032SF				4323	1656	DS8032DF				

Casing Height (mm)	Casing Length (mm)	SF/Type 11			HF/Type 12			DF/Type 22			TF/Type 33		
		Output Watts ( $\Delta T50$ )	Output Watts ( $\Delta T24$ )	Product Code	Output Watts ( $\Delta T50$ )	Output Watts ( $\Delta T24$ )	Product Code	Output Watts ( $\Delta T50$ )	Output Watts ( $\Delta T24$ )	Product Code	Output Watts ( $\Delta T50$ )	Output Watts ( $\Delta T24$ )	Product Code
900	500	259	99	DS9005SF	389	149	DS9005HF	499	191	DS9005DF			
	600	345	132	DS9006SF	519	199	DS9006HF	666	255	DS9006DF	920	352	DS9006TF
	700	432	165	DS9007SF	649	248	DS9007HF	832	319	DS9007DF	1150	440	DS9007TF
	800	518	198	DS9008SF	778	298	DS9008HF	998	382	DS9008DF	1380	528	DS9008TF
	900	604	231	DS9009SF	908	348	DS9009HF	1164	446	DS9009DF	1610	617	DS9009TF
	1000	691	265	DS9010SF	1038	397	DS9010HF	1331	510	DS9010DF	1840	705	DS9010TF
	1100	777	298	DS9011SF	1167	447	DS9011HF	1497	573	DS9011DF	2070	793	DS9011TF
	1200	863	331	DS9012SF	1297	497	DS9012HF	1663	637	DS9012DF	2300	881	DS9012TF
	1300	950	364	DS9013SF	1427	546	DS9013HF	1830	701	DS9013DF	2529	969	DS9013TF
	1400	1036	397	DS9014SF	1556	596	DS9014HF	1996	765	DS9014DF	2760	1057	DS9014TF
	1500	1122	430	DS9015SF	1686	646	DS9015HF	2163	828	DS9015DF			
	1600	1209	463	DS9016SF	1816	695	DS9016HF	2329	892	DS9016DF	3220	1233	DS9016TF
	1700	1295	496	DS9017SF	1946	745	DS9017HF	2496	956	DS9017DF			
	1800	1381	529	DS9018SF	2075	795	DS9018HF	2661	1019	DS9018DF	3679	1409	DS9018TF
	2000	1554	595	DS9020SF	2334	894	DS9020HF	2994	1147	DS9020DF	4139	1585	DS9020TF
	2200	1727	661	DS9022SF	2593	993	DS9022HF	3327	1274	DS9022DF	4600	1762	DS9022TF
2400	1899	727	DS9024SF	2852	1092	DS9024HF	3660	1402	DS9024DF				
2600	2072	794	DS9026SF	3112	1192	DS9026HF	3993	1529	DS9026DF				
2900	2331	893	DS9029SF				4491	1720	DS9029DF				
3200	2590	992	DS9032SF				4990	1911	DS9032DF				

# DeepClean - Sloped Top - Standard Grilles



Radiator Type

SF/Type 11

HF/Type 12

DF/Type 22

TF/Type 33



Casing Depths

150mm

165mm

200mm

260mm

Casing Height (mm)	Casing Length (mm)	SF/Type 11			HF/Type 12			DF/Type 22			TF/Type 33		
		Output Watts ( $\Delta T50$ )	Output Watts ( $\Delta T24$ )	Product Code	Output Watts ( $\Delta T50$ )	Output Watts ( $\Delta T24$ )	Product Code	Output Watts ( $\Delta T50$ )	Output Watts ( $\Delta T24$ )	Product Code	Output Watts ( $\Delta T50$ )	Output Watts ( $\Delta T24$ )	Product Code
1000	600	389	149	DS1006SF	587	225	DS1006HF	748	286	DS1006DF	1032	395	DS1006TF
	700	487	186	DS1007SF	733	281	DS1007HF	935	358	DS1007DF	1291	494	DS1007TF
	800	584	224	DS1008SF	879	337	DS1008HF	1121	429	DS1008DF	1548	593	DS1008TF
	900	681	261	DS1009SF	1026	393	DS1009HF	1308	501	DS1009DF	1806	692	DS1009TF
	1000	778	298	DS1010SF	1173	449	DS1010HF	1495	573	DS1010DF	2064	790	DS1010TF
	1100	876	335	DS1011SF	1319	505	DS1011HF	1682	644	DS1011DF	2322	889	DS1011TF
	1200	973	373	DS1012SF	1466	561	DS1012HF	1869	716	DS1012DF	2580	988	DS1012TF
	1300	1070	410	DS1013SF	1613	618	DS1013HF	2056	787	DS1013DF	2838	1087	DS1013TF
	1400	1168	447	DS1014SF	1759	674	DS1014HF	2243	859	DS1014DF	3096	1186	DS1014TF
	1500	1265	484	DS1015SF	1905	730	DS1015HF	2430	931	DS1015DF			
	1600	1362	522	DS1016SF	2052	786	DS1016HF	2617	1002	DS1016DF	3613	1384	DS1016TF
	1700	1460	559	DS1017SF				2804	1074	DS1017DF			
	1800	1557	596	DS1018SF	2345	898	DS1018HF	2990	1145	DS1018DF	4128	1581	DS1018TF
	2000	1751	670	DS1020SF	2639	1011	DS1020HF	3364	1288	DS1020DF			
	2200	1946	745	DS1022SF				3738	1432	DS1022DF			
	2400	2140	820	DS1024SF				4112	1575	DS1024DF			
2600	2334	894	DS1026SF				4486	1718	DS1026DF				
2900							5046	1933	DS1029DF				
3200							5607	2147	DS1032DF				

Casing Height (mm)	Casing Length (mm)	SF/Type 11			HF/Type 12			DF/Type 22			TF/Type 33		
		Output Watts ( $\Delta T50$ )	Output Watts ( $\Delta T24$ )	Product Code	Output Watts ( $\Delta T50$ )	Output Watts ( $\Delta T24$ )	Product Code	Output Watts ( $\Delta T50$ )	Output Watts ( $\Delta T24$ )	Product Code	Output Watts ( $\Delta T50$ )	Output Watts ( $\Delta T24$ )	Product Code
1200	600	466	179	DS1206SF	712	273	DS1206HF	893	342	DS1206DF	1227	470	DS1206TF
	700	584	224	DS1207SF	890	341	DS1207HF	1116	427	DS1207DF	1534	588	DS1207TF
	800	700	268	DS1208SF	1067	409	DS1208HF	1339	513	DS1208DF	1841	705	DS1208TF
	900	817	313	DS1209SF	1245	477	DS1209HF	1562	598	DS1209DF	2148	823	DS1209TF
	1000	934	358	DS1210SF	1424	545	DS1210HF	1785	684	DS1210DF	2455	940	DS1210TF
	1100	1050	402	DS1211SF				2008	769	DS1211DF	2762	1058	DS1211TF
	1200	1167	447	DS1212SF				2231	855	DS1212DF	3069	1175	DS1212TF
	1300	1283	492	DS1213SF				2455	940	DS1213DF			
	1400	1400	536	DS1214SF				2677	1025	DS1214DF			
	1500							2901	1111	DS1215DF			
1600	1633	625	DS1216SF				3124	1196	DS1216DF				

\*For installations where the guard does not extend to the floor, a base plate can be supplied. If this is required, please add **BP** to the end of the product code.\*